


美标对夹双瓣旋启式止回阀

API Wafer type double disc swing check valve



www.bahe-valve.com



产品采用标准 Product adoption standards

结构形式 structure type	双瓣旋启式止回阀 Dual-disc swing type check valve
设计标准 design standards	API 594
结构长度 Structure length	ASME B16.0
法兰连接 Flange connection	ASME B16.5
试验和检验 Test and inspection	API 598

注：阀门连接法兰及对焊端尺寸可根据用户要求设计制造

Note: The size of valve connecting flange and butt welding end can be designed and manufactured according to user requirements

主要零件材料 Material of main parts

序号No.	零件名称 Part name	材质 Material
1	阀体 Body	ASTM A216-WCB、ASTM A351-CF8、CF8M、CF8C、CF3M
2	阀瓣 Disc	ASTM A216-WCB、ASTM A351-CF8、CF8M、CF8C、CF3M
3	销轴 Pivot	ASTM A182 Gr.F6a、ASTM A182F22、ASTM A182-F304、F316、F321、F304L、F316L
4	弹簧 Spring	AJISI 9260、AJISI 6150、ASTM A182-F304、F316、F321、F304L、F316L

主要外形尺寸 Main dimensions

型号 Model:H76H、H76Y

Class	DN (mm)	NPS (in)	尺寸Dimensions(mm)		Class	DN (mm)	NPS (in)	尺寸Dimensions(mm)		Class	DN (mm)	NPS (in)	尺寸Dimensions(mm)	
			L	D				L	D				L	D
150	50	2	60	103	300	50	2	60	110	600	50	2	60	110
	65	2½	67	122		65	2½	67	148		65	2½	67	129
	80	3	73	135		80	3	73	248		80	3	73	148
	100	4	73	173		100	4	73	180		100	4	79	192
	125	5	86	196		125	5	86	215		125	5	105	240
	150	6	98	222		150	6	98	250		150	6	137	265
	200	8	127	279		200	8	127	307		200	8	165	319
	250	10	146	339		250	10	146	361		250	10	213	399
	300	12	181	409		300	12	181	422		300	12	229	456
	350	14	184	450		350	14	222	485		350	14	273	489
	400	16	191	514		400	16	232	539		400	16	305	562
	150	50	2	60		103	300	50	2		60	110	900	50
65		2½	67	122	65	2½		67	148	65	2½	83		164
80		3	73	135	80	3		73	248	80	3	83		167
100		4	73	173	100	4		73	180	100	4	102		205
125		5	86	196	125	5		86	215	125	5	159		205
150		6	98	222	150	6		98	250	150	6	206		288
150	200	8	127	279	300	200	8	127	307	900	200	8	165	319
	250	10	146	339		250	10	146	361		250	10	213	399
	300	12	181	409		300	12	181	422		300	12	229	456
	350	14	184	450		350	14	222	485		350	14	273	489
	400	16	191	514		400	16	232	539		400	16	305	562
	450	18	203	549		450	18	232	539		450	18	358	562